



**THE CITY OF ARTESIA NEW MEXICO**

511 W. Texas Avenue (575) 746-3593 Mayor  
P.O. Box 1310 (575) 746-2122 City Clerk  
Artesia, NM 88211-1310 (575) 746-3886 Fax

**CITY OF ARTESIA  
REQUEST FOR USE OF FACILITIES**

*No guarantee of sole use of park or City property*

NAME: \_\_\_\_\_

ADDRESS: \_\_\_\_\_

PHONE: \_\_\_\_\_ CELL PHONE #/EMERGENCY # \_\_\_\_\_

TYPE OF EVENT: \_\_\_\_\_ NUMBER OF ATTENDEES: \_\_\_\_\_

DATE AND TIME OF EVENT: \_\_\_\_\_

WILL INFLATABLE GAMES BE USED?  Yes  No If yes, complete Inflatable Games Permit

WILL A TENT BE USED OR SET UP?  Yes  No If yes, complete Canopy - Tent Permit

WILL A GRILL BE USED?  Yes  No

**REQUEST USE OF:**

**ROBERTS PARK**  
Shelter

**JAYCEE PARK**  
Restrooms

**CENTRAL PARK**  
Gazebo

Band Shell

N. Shelter

**GUADALUPE PARK**

**DAVIS PARK**

W. Shelter

Gazebo

**BAISH PARK**

**EAGLE DRAW PARK**

**OTHER (Specify)** \_\_\_\_\_

**NOTE: NO ALCOHOLIC BEVERAGES WILL BE SERVED ON CITY PROPERTY**

**REQUIREMENTS: (Fees must be paid in advance of use)**

- \_\_\_\_\_ BARRICADES (\$30 per location)
- \_\_\_\_\_ CONES (\$5.00 per 10 cones)
- \_\_\_\_\_ LARGE POWER SUPPLY – 1 available (Jaycee and Roberts Park) \$50
- \_\_\_\_\_ SMALL POWER SUPPLY – 3 available (Jaycee and Roberts Park) \$35
- \_\_\_\_\_ EXTRA DUMPSTERS - \$25 each
- \_\_\_\_\_ ELECTRICITY
- \_\_\_\_\_ POLICE ASSISTANCE (Applicable fees applied)
- \_\_\_\_\_ STANDBY FIRE/AMBULANCE (\$145 first hour, \$108 second hour, and \$27 each fraction thereof)

\$ \_\_\_\_\_ **TOTAL COST FOR USE OF FACILITIES** *(There will be a \$200 cap on fees)*  
**(Cap excludes Police Assistance and Fire/Ambulance Service Fees)**

**\*\*IF REQUESTING A WAIVER OF FEES, THE SPONSORING AGENCY MUST BE A GOVERNMENT ENTITY AND MUST SIGN BELOW STATING THAT THEY ARE THE SPONSORING AGENCY**

\_\_\_\_\_  
*(Signature of Government Entity Representative and Name of Entity)*

**Approval contingent upon receipt of all applicable fees, licenses and department approvals**

If you are requesting a street closure, indicate which street(s) and where you are requesting the barricades be placed. City personnel *are not* responsible for setting up and taking down of the barricades or equipment for the event. Note: city personnel must have 48 hours notice on placement of equipment.

*\*Proof of insurance coverage may be required*

**I have read the foregoing and fully understand that this is a binding Agreement between the undersigned and the City and I understand and agree to clean the facility I/we plan to use**

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

**\*INSURANCE REQUIREMENTS:** Sponsoring organization must provide to the office of the City Clerk/Finance Director an insurance certificate, 10 days prior to event, with the City of Artesia, New Mexico and other applicable parties shown as Additional Named Insured. Minimum coverage to be as follows: \$1,000,000 Liability; \$1,000,000 Bodily Injury.

# CITY OF ARTESIA, NEW MEXICO

P.O. Box 1310  
511 W. Texas Avenue  
Artesia, NM 88211-1310  
(575) 746- 2122

## WAIVER, RELEASE, AND INDEMNITY

In consideration for the approval of the Request to Use City Facilities (copy of request is attached),

I, \_\_\_\_\_, the \_\_\_\_\_  
(title)  
of \_\_\_\_\_, for good and valuable consideration, do hereby  
(Name of Individual, Company or Organization)

irrevocably agree to the following:

### **Waiver and Release of Liability and Indemnity Agreement**

#### **Waiver of Liability**

To save, hold harmless, release from liability, and fully indemnify the City of Artesia, New Mexico, its officials, employees and their insurers (collectively "City") from all death, injury, loss, claims, or damage (including, but not limited to, reasonable attorney's fees and costs and expenses of litigation) which may occur to any person or property as a result of the use or occupancy of the City Facilities and/or Premises, or which otherwise may accrue as a result of such use or occupancy, and hereby additionally waive and release the City from all such claims which may occur at any time as a result of the use or occupancy of the Facilities and/or Premises, and without respect to the identity of such person or persons affected by such death, injury, loss, claims, or damage, except only in the event that such occurrence shall be caused by the willful acts or omissions or gross negligence of the City.

I hereby further assume all of the risks of conducting this event and occupying and/or utilizing the City Facilities and premises. I further recognize that I and all attendees which may utilize the City Facilities and premises must abide by all rules and regulations for use of City Facilities/Property, and/or any other lawful order or directive of any City employee or official.

**I have read the foregoing and fully understand that this is a binding Agreement between the undersigned and the City.**

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

# CITY OF ARTESIA, NEW MEXICO

P.O. Box 1310  
511 W. Texas Avenue  
Artesia, NM 88211-1310  
(575) 746- 2122

## CARNIVAL RIDES/INFLATABLE GAMES PERMIT

Per the State of New Mexico Regulation & Licensing Department Carnival Ride Insurance Program all rides, as described by this program, must be inspected and certified annually

No carnival ride/Inflatable Game can be operated before being certified by the NM Carnival Ride Insurance Administrator

**State of New Mexico Regulation and Licensing Department**

**2550 Cerrillos Road, 3rd Floor, Santa Fe, NM 87505**

**Phone: (505) 476-4853 Office Hours: 8:00 AM – 5:00 PM**

**Website: [http://www.rld.state.nm.us/construction/Carnival\\_Ride\\_Insurance\\_Program.aspx](http://www.rld.state.nm.us/construction/Carnival_Ride_Insurance_Program.aspx)**

- A copy of General Liability Insurance in the amount of \$1,000,000 naming City of Artesia as an additional insured
- Carnival Ride Insurance Program Certificate Issued by the NM Regulation & Licensing Department

I hereby understand that in order to utilize Inflatable Games I have provided the items described above before occupying and/or utilizing the City Facilities and premises.

**I have read the foregoing and fully understand that this is a binding Agreement between the undersigned and the City.**

\_\_\_\_\_  
Printed Name

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date



NEW MEXICO REGULATION AND LICENSING DEPARTMENT  
CARNIVAL RIDE INSURANCE PROGRAM  
2550 CERRILLOS ROAD, 3RD FLOOR  
SANTA FE, NEW MEXICO 87505  
TELEPHONE: (505) 476-4853 ▪ FAX: (505) 476-4619

[http://www.rld.state.nm.us/construction/Carnival\\_Ride\\_Insurance\\_Program.aspx](http://www.rld.state.nm.us/construction/Carnival_Ride_Insurance_Program.aspx)

CARNIVAL RIDE INSURANCE SAFETY PROGRAM  
STATE OF NEW MEXICO  
CONTINUOUS AIRFLOW INFLATABLE AMUSEMENT SAFETY  
STANDARDS AND GUIDELINES

Portable, or air supported amusement rides, have become a common and popular form of entertainment for children in the Amusement Ride Industry. These portable, or air supported amusement rides, have alternative names or identifications, such as "Funhouses" or "Jump houses", but amount to a structural and mechanical system that employs a high-strength fabric or treated surface that achieves its strength, shape or stability by pre-tensioning the structure with internal air pressure or inflation.

The Regulation and Licensing Department is providing Notice that portable or Air Supported amusement rides are subject to the requirements of the Carnival Ride Insurance Act and are also subject to common sense standards or guidelines, to ensure public safety and confidence in ride operation. These safety standards and guidelines are as follows:

1. **Anchors:** Anchoring Inflatable amusement rides are required to be anchored per manufacturer's specifications, which includes all anchor points, unless otherwise designated and approved by the inflatable amusement manufacturer. Remember to secure with stakes, weight or an anchoring devise that meets, or exceeds, the requirements of the manufacturer, whether for indoor or outdoor operation.
2. **Tethering devises:** Inflatable Amusements are required to be tethered as per manufacturer's specifications or directions. Tethering includes securing the inflatables at all elevated points where a tether can be attached to the outside of the inflatable.
3. **Take into account hazards or dangers:** Inflatable amusement operations, whether indoors or outdoors, must take into account all hazards or dangers, whether manmade or naturally occurring circumstances. Inflatable amusements should not be set-up where there are overhead power lines or there is danger in the inflatable amusement operation due to fire or electrical shortages, or overloads, regarding cord, plug, wiring or improper electrical grounding procedures. Natural hazards due to high velocity winds, or other severe inclement weather consideration, must be factored into the inflatable amusement operation to avoid unstable, or even "fly away", inflatable amusement operations, where the incident of injury or harm to others is present.
4. **Maintenance:** Inflatable amusement operation must be free of rips, tears, separation or torn seams, or damage or impairment to blowers, baffles or to inflation tubes and are to be otherwise in good working order. In particular, attention should be directed to repairing or replacing worn or torn slide surfaces or at portable impact surface points, especially at entrance or exit locations.

Questions regarding the safe operation of inflatable amusement rides should be directed to the Program Administrator, Regulation and Licensing Department, at (505) 476-4853, or via email at [paulina.robinson@state.nm.us](mailto:paulina.robinson@state.nm.us).



# ARTESIA FIRE DEPARTMENT

3300 W. MAIN STREET - SUITE F

ARTESIA, NM 88210

(575) 746-5051

Application for

Canopy

Tent

Event Permit

Permit No. \_\_\_\_\_

**A SITE PLAN IS REQUIRED SHOWING WHERE THE TENT/EVENT WILL BE SET UP AND ALSO THE DIMENSIONS OF THE TENT**

**IF YOU ARE LEASING YOUR BUSINESS SPACE, WRITTEN PERMISSION FROM YOUR LANDLORD IS REQUIRED.**

**TENTS OR CANOPIES IN EXCESS OF 400 SQUARE FEET SHALL REQUIRE A PERMIT AND AN INSPECTION BY A FIRE OFFICIAL.**

APPLICANT \_\_\_\_\_ PHONE # \_\_\_\_\_

ADDRESS \_\_\_\_\_

REASON FOR TENT/EVENT/CANOPY \_\_\_\_\_

DATES: FROM \_\_\_\_\_ TO \_\_\_\_\_

HOURS OF OPERATION \_\_\_\_\_

WILL FOOD BE COOKED OR SERVED? \_\_\_\_\_ YES \_\_\_\_\_ NO

WILL THERE BE ELECTRICITY REQUIRED? \_\_\_\_\_ YES \_\_\_\_\_ NO

*(Exterior grade extension cords are required for any use outside)*

SIGNATURE OF OWNER/AGENT \_\_\_\_\_

**Permit Granted**      Date Permit Issued \_\_\_\_\_ Issued By \_\_\_\_\_

**Permit Denied**      Remarks \_\_\_\_\_

# **Canopy / Tent Requirements**

## **Provide the following information to the Fire Department before a permit can be issued:**

- A site plan drawn to scale showing the location and size of the canopy / tent in regards to the building and other canopies / tents. The tent shall not obstruct any accessible parking spaces, fire lanes, fire hydrants or fire department connections.
- A flame resistant certificate per NFPA 701 or ASTM E 84 by an acceptable testing laboratory.
- A note on the submitted plans stating, “No smoking, no fireworks, no open flames or devices emitting open flame or fire will be used in the canopy / tent.”
- A note on the submitted plans stating “a 4A 60BC fire extinguisher (or equivalent) will be provided and mounted no higher than 48” above finished floor to the handle.”
- Number (#) of canopies / tents and their sizes.
- If you are using a tent with the side down, defined exits shall be required to be shown on the plans based on the number of attendants.
- Occupant load signs will be printed by the Fire Department and placed at the tent entrances / exits.

## **Below are the Code sections from the 2009 International Fire Code for reference only.**

**2403.8.1 Access.** Fire apparatus access roads shall be provided in accordance with Section 503.

**2403.8.2 Location.** Tents, canopies or membrane structures shall not be located within 20 feet (6096 mm) of lot lines, buildings, other tents, canopies or membrane structures, parked vehicles or internal combustion engines. For the purpose of determining required distances, support ropes and guy wires shall be considered as part of the temporary membrane structure, tent or canopy.

2. Membrane structures, tents or canopies need not be separated from buildings when all of the following conditions are met:

2.1. The aggregate floor area of the membrane structure, tent or canopy shall not exceed 10,000 square feet (929 m<sup>2</sup>).

2.2. The aggregate floor area of the building and membrane structure, tent or canopy shall not exceed the allowable floor area including increases as indicated in the *International Building Code*.

2.3. Required means of egress provisions are provided for both the building and the membrane structure, tent or canopy, including travel distances.

2.4. Fire apparatus access roads are provided in accordance with Section 503.

**2403.9 Anchorage required.** Tents, canopies or membrane structures and their appurtenances shall be adequately roped, braced and anchored to withstand the elements of weather and prevent against collapsing. Documentation of structural stability shall be furnished to the fire code official on request.

**2403.12.5 Aisle.** The width of aisles without fixed seating shall be in accordance with the following:

1. In areas serving employees only, the minimum aisle width shall be 24 inches (610 mm) but not less than the width required by the number of employees served.

2. In public areas, smooth-surfaced, unobstructed aisles having a minimum width of not less than 44 inches (1118 mm) shall be provided from seating areas, and aisles shall be progressively increased in width to provide, at all points, not less than 1 foot (305 mm) of aisle width for each 50 persons served by such aisle at that point.

**2403.12.6 Exit signs.** Exits shall be clearly marked. Exit signs shall be installed at required exit doorways and where otherwise necessary to indicate clearly the direction of egress when the exit serves an occupant load of 50 or more.

*CITY OF ARTESIA*

*REQUEST FOR USE OF FACILITIES*

**2403.12.6.1 Exit sign illumination.** Exit signs shall be of an approved self-luminous type or shall be internally or externally illuminated by luminaires supplied in the following manner:

1. Two separate circuits, one of which shall be separate from all other circuits, for occupant loads of 300 or less; or
2. Two separate sources of power, one of which shall be an approved emergency system, shall be provided when the occupant load exceeds 300. Emergency systems shall be supplied from storage batteries or from the on-site generator set, and the system shall be installed in accordance with the ICC *Electrical Code*.

**2404.3 Label.** Membrane structures, tents or canopies shall have a permanently affixed label bearing the identification of size and fabric or material type.

**2404.4 Certification.** An affidavit or affirmation shall be submitted to the fire code official and a copy retained on the premises on which the tent or air-supported structure is located. The affidavit shall attest to the following information relative to the flame propagation performance criteria of the fabric:

1. Names and address of the owners of the tent, canopy or air-supported structure.
2. Date the fabric was last treated with flame-retardant solution.
3. Trade name or kind of chemical used in treatment.
4. Name of person or firm treating the material.
5. Name of testing agency and test standard by which the fabric was tested.

**2404.6 Smoking.** Smoking shall not be permitted in tents, canopies or membrane structures. Approved "No Smoking" signs shall be conspicuously posted in accordance with Section 310.

**2404.7 Open or exposed flame.** Open flame or other devices emitting flame, fire or heat or any flammable or combustible liquids, gas, charcoal or other cooking device or any other unapproved devices shall not be permitted inside or located within 20 feet (6096 mm) of the tent, canopy or membrane structures while open to the public unless approved by the fire code official.

**2404.11 Clearance.** There shall be a minimum clearance of at least 3 feet (914 mm) between the fabric envelope and all contents located inside the tent or membrane structure.

**2404.12 Portable fire extinguishers.** Portable fire extinguishers shall be provided as required by Section 906.

**2404.15.6 Outdoor cooking.** Outdoor cooking that produces sparks or grease-laden vapors shall not be performed within 20 feet (6096 mm) of a tent, canopy or membrane structure unless approved by the Fire Code Official.



## This section to be completed by City staff

Review and comment by **POLICE DEPARTMENT:** Commander Longway 746-5038

\_\_\_\_\_  
\_\_\_\_\_

Review and comment by **FIRE DEPARTMENT:** Fire Chief Hope 746-5050 or

Fire Marshal Harvey 746-5050

\_\_\_\_\_  
\_\_\_\_\_

Review and comment by **INRASTRUCTURE DEPARTMENT:** \_\_\_\_\_

Jimmy Bustamante 748-8812 \*(only if needing additional dumpsters)

Richard Acosta 748-0279 (leave message)

Byron Landfair 746-9821

Review and comment by **FINANCE DEPARTMENT:** Aubrey Hobson 746-2122